

DECEMBER 2015

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING
FORMULATIONS USING TWO TINT BASES

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE
COATING COLORS

SYSTEM: **ACE NOVOCOLOR HP** USING 384TH INCREMENTS PER FLUID
OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 384ths, lists the number(s) of fractions, 384ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

AXXN – Orange Yellow

B – Lamp Black

C – Yellow Oxide

D – Phthalo Green

E – Phthalo Blue

F – Red Oxide

KX – White

L – Raw Umber

MM - Magenta

RR –Fast Red

TT – Medium Yellow

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

BEECHWOOD GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	128	B – Lamp Black	4	256
			C – Yellow Oxide	1	224	C – Yellow Oxide	5	208
			F – Red Oxide	0	48	F – Red Oxide	0	168

BEIGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	1	160	C – Yellow Oxide	4	368
			F – Red Oxide	0	56	F – Red Oxide	0	196
			L – Raw Umber	2	64	L – Raw Umber	7	224
			KX – White	1	64	KX – White	4	32

BLACK CANYON

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	5	192	B – Lamp Black	19	96
			D – Phthalo Green	0	96	D – Phthalo Green	0	336

BUTTERNUT

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			AXXN – Orange Yellow	1	256	AXXN – Orange Yellow	5	320
			B – Lamp Black	0	352	B – Lamp Black	3	80
			F – Red Oxide	0	256	F – Red Oxide	2	128
			KX – White	2	96	KX – White	7	336

CALIFORNIA RUSTIC

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	272	B – Lamp Black	2	184
			F – Red Oxide	3	256	F – Red Oxide	12	320
			TT – Medium Yellow	0	320	TT – Medium Yellow	2	352
			KX – White	1	256	KX – White	5	320

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

CAPE COD GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	224	B – Lamp Black	2	16
			C – Yellow Oxide	0	32	C – Yellow Oxide	0	112
			L – Raw Umber	0	320	L – Raw Umber	2	352
			KX – White	1	128	KX – White	4	256

CEDARWOOD

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	16	B – Lamp Black	0	56
			C – Yellow Oxide	4	288	C – Yellow Oxide	16	240
			F – Red Oxide	0	208	F – Red Oxide	1	344
			L – Raw Umber	3	160	L – Raw Umber	11	368

CHOCOLATE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	1	64	C – Yellow Oxide	4	32
			F – Red Oxide	0	192	F – Red Oxide	1	288
			L – Raw Umber	8	0	L – Raw Umber	28	0
			KX – White	0	160	KX – White	1	176

COLONIAL YELLOW

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	80	B – Lamp Black	0	280
			C – Yellow Oxide	5	128	C – Yellow Oxide	18	256
			RR – Fast Red	0	32	RR – Fast Red	0	112
			KX – White	4	0	KX – White	14	0

DEEP CHARCOAL

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	3	0	B – Lamp Black	10	192
			E – Phthalo Blue	0	16	E – Phthalo Blue	0	56
			L – Raw Umber	1	256	L – Raw Umber	5	320
			KX – White	2	0	KX – White	7	0

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

DEEP DESERT SAND

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	0	B – Lamp Black	3	192
			C – Yellow Oxide	1	192	C – Yellow Oxide	5	96
			F – Red Oxide	0	96	F – Red Oxide	0	336
			KX – White	1	192	KX – White	5	96

FAWN

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	0	B – Lamp Black	3	192
			F – Red Oxide	0	160	F – Red Oxide	1	176
			TT – Medium Yellow	1	256	TT – Medium Yellow	5	320
			KX – White	0	224	KX – White	2	16

GEORGETOWN GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			E – Phthalo Blue	1	144	E – Phthalo Blue	4	312
			L – Raw Umber	4	224	L – Raw Umber	16	16
			MM - Magenta	0	24	MM - Magenta	0	84

HUNTER GREEN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			AXXN – Orange Yellow	1	128	AXXN – Orange Yellow	4	256
			B – Lamp Black	1	128	B – Lamp Black	4	256
			D – Phthalo Green	1	128	D – Phthalo Green	4	256
			KX – White	0	160	KX – White	1	176

MAHOGANY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	3	0	B – Lamp Black	10	192
			F – Red Oxide	0	288	F – Red Oxide	2	240
			MM – Magenta	0	320	MM – Magenta	2	352
			KX – White	0	64	KX – White	0	224

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

MANOR BROWN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	160	B – Lamp Black	1	176
			F – Red Oxide	0	32	F – Red Oxide	0	112
			L – Raw Umber	9	128	L – Raw Umber	32	256
			KX – White	0	192	KX – White	1	288

NAVAJO WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	0	128	C – Yellow Oxide	1	64
			L – Raw Umber	0	320	L – Raw Umber	2	352
			MM – Magenta	0	4	MM – Magenta	0	14
			KX – White	2	192	KX – White	8	288

NEW PILGRIM RED

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	256	B – Lamp Black	5	320
			F – Red Oxide	1	256	F – Red Oxide	5	320
			MM – Magenta	2	256	MM – Magenta	9	128
			KX – White	0	64	KX – White	0	224

PARCHMENT

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	0	272	C – Yellow Oxide	2	184
			L – Raw Umber	0	64	L – Raw Umber	0	224
			KX – White	3	320	KX – White	13	160

PILGRIM BLUE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	64	B – Lamp Black	4	32
			E – Phthalo Blue	1	128	E – Phthalo Blue	4	256
			MM – Magenta	0	8	MM – Magenta	0	28

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

PLATINUM

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	96	B – Lamp Black	0	336
			C – Yellow Oxide	0	240	C – Yellow Oxide	2	72
			MM – Magenta	0	32	MM – Magenta	0	112
			KX – White	3	128	KX – White	11	256

PRAIRE GOLD

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			AXXN – Orange Yellow	0	128	AXXN – Orange Yellow	1	64
			C – Yellow Oxide	1	288	C – Yellow Oxide	6	48
			L – Raw Umber	0	192	L – Raw Umber	1	288
			KX – White	5	320	KX – White	20	160

SABLE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	1	176	B – Lamp Black	5	40
			F – Red Oxide	2	128	F – Red Oxide	8	64
			TT – Medium Yellow	0	192	TT – Medium Yellow	1	288
			KX – White	0	224	KX – White	2	16

SAGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	0	256	C – Yellow Oxide	2	128
			D – Phthalo Green	0	160	D – Phthalo Green	1	176
			L – Raw Umber	3	160	L – Raw Umber	11	368

SALEM TAN

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	0	352	C – Yellow Oxide	3	80
			L – Raw Umber	1	0	L – Raw Umber	3	192
			MM – Magenta	0	8	MM – Magenta	0	28

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

SANDPIPER

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	160	B – Lamp Black	1	176
			C – Yellow Oxide	1	128	C – Yellow Oxide	4	256
			RR – Fast Red	0	32	RR – Fast Red	0	112
			KX – White	1	320	KX – White	6	160

SIERRA REDWOOD

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			F – Red Oxide	2	192	F – Red Oxide	8	288
			L – Raw Umber	4	64	L – Raw Umber	14	224
			MM – Magenta	1	352	MM – Magenta	6	272
			KX – White	0	224	KX – White	2	16

STONEHEDGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			B – Lamp Black	0	224	B – Lamp Black	2	16
			E – Phthalo Blue	0	20	E – Phthalo Blue	0	70
			L – Raw Umber	0	288	L – Raw Umber	2	240
			KX – White	0	288	KX – White	2	240

WINTER WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			C – Yellow Oxide	0	56	C – Yellow Oxide	0	196
			L – Raw Umber	0	28	L – Raw Umber	0	98
			KX – White	6	192	KX – White	22	288

WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	384ths	Colorant	OZS.	384ths	Colorant	OZS.	384ths
			KX – White	6	0	KX – White	21	0