

DECEMBER 2015

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING
FORMULATIONS USING TWO TINT BASES

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE
COATING COLORS

SYSTEM: **ACE NOVOCOLOR HP** USING 48 INCREMENTS PER FLUID
OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 48, lists the number(s) of fractions, 48ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

AXXN – Orange Yellow

B – Lamp Black

C – Yellow Oxide

D – Phthalo Green

E – Phthalo Blue

F – Red Oxide

KX – White

L – Raw Umber

MM – Magenta

RR – Fast Red

TT – Medium Yellow

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

BEECHWOOD GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	16	B – Lamp Black	4	32
			C – Yellow Oxide	1	28	C – Yellow Oxide	5	26
			F – Red Oxide	0	6	F – Red Oxide	0	21

BEIGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	1	20	C – Yellow Oxide	4	46
			F – Red Oxide	0	7	F – Red Oxide	0	24 ½
			L – Raw Umber	2	8	L – Raw Umber	7	28
			KX – White	1	8	KX – White	4	4

BLACK CANYON

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	5	24	B – Lamp Black	19	12
			D – Phthalo Green	0	12	D – Phthalo Green	0	42

BUTTERNUT

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			AXXN – Orange Yellow	1	32	AXXN – Orange Yellow	5	40
			B – Lamp Black	0	44	B – Lamp Black	3	10
			F – Red Oxide	0	32	F – Red Oxide	2	16
			KX – White	2	12	KX – White	7	42

CALIFORNIA RUSTIC

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	34	B – Lamp Black	2	23
			F – Red Oxide	3	32	F – Red Oxide	12	40
			TT – Medium Yellow	0	40	TT – Medium Yellow	2	44
			KX – White	1	32	KX – White	5	40

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

CAPE COD GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	28	B – Lamp Black	2	2
			C – Yellow Oxide	0	4	C – Yellow Oxide	0	14
			L – Raw Umber	0	40	L – Raw Umber	2	44
			KX – White	1	16	KX – White	4	32

CEDARWOOD

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	2	B – Lamp Black	0	7
			C – Yellow Oxide	4	36	C – Yellow Oxide	16	30
			F – Red Oxide	0	26	F – Red Oxide	1	43
			L – Raw Umber	3	20	L – Raw Umber	11	46

CHOCOLATE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	1	8	C – Yellow Oxide	4	4
			F – Red Oxide	0	24	F – Red Oxide	1	36
			L – Raw Umber	8	0	L – Raw Umber	28	0
			KX – White	0	20	KX – White	1	22

COLONIAL YELLOW

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	10	B – Lamp Black	0	35
			C – Yellow Oxide	5	16	C – Yellow Oxide	18	32
			RR – Fast Red	0	4	RR – Fast Red	0	14
			KX – White	4	0	KX – White	14	0

DEEP CHARCOAL

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	3	0	B – Lamp Black	10	24
			E – Phthalo Blue	0	2	E – Phthalo Blue	0	7
			L – Raw Umber	1	32	L – Raw Umber	5	40
			KX – White	2	0	KX – White	7	0

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

DEEP DESERT SAND

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	0	B – Lamp Black	3	24
			C – Yellow Oxide	1	24	C – Yellow Oxide	5	12
			F – Red Oxide	0	12	F – Red Oxide	0	42
			KX – White	1	24	KX – White	5	12

FAWN

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	0	B – Lamp Black	3	24
			F – Red Oxide	0	20	F – Red Oxide	1	22
			TT – Medium Yellow	1	32	TT – Medium Yellow	5	40
			KX – White	0	28	KX – White	2	2

GEORGETOWN GRAY

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			E – Phthalo Blue	1	18	E – Phthalo Blue	4	39
			L – Raw Umber	4	28	L – Raw Umber	16	2
			MM - Magenta	0	3	MM - Magenta	0	10 ½

HUNTER GREEN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			AXXN – Orange Yellow	1	16	AXXN – Orange Yellow	4	32
			B – Lamp Black	1	16	B – Lamp Black	4	32
			D – Phthalo Green	1	16	D – Phthalo Green	4	32
			KX – White	0	20	KX – White	1	22

MAHOGANY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	3	0	B – Lamp Black	10	24
			F – Red Oxide	0	36	F – Red Oxide	2	30
			MM – Magenta	0	40	MM – Magenta	2	44
			KX – White	0	8	KX – White	0	28

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

MANOR BROWN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	20	B – Lamp Black	1	22
			F – Red Oxide	0	4	F – Red Oxide	0	14
			L – Raw Umber	9	16	L – Raw Umber	32	32
			KX – White	0	24	KX – White	1	36

NAVAJO WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	16	C – Yellow Oxide	1	8
			L – Raw Umber	0	40	L – Raw Umber	2	44
			MM – Magenta	0	½	MM – Magenta	0	1 ¾
			KX – White	2	24	KX – White	8	36

NEW PILGRIM RED

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	32	B – Lamp Black	5	40
			F – Red Oxide	1	32	F – Red Oxide	5	40
			MM – Magenta	2	32	MM – Magenta	9	16
			KX – White	0	8	KX – White	0	28

PARCHMENT

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	34	C – Yellow Oxide	2	23
			L – Raw Umber	0	8	L – Raw Umber	0	28
			KX – White	3	40	KX – White	13	20

PILGRIM BLUE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	8	B – Lamp Black	4	4
			E – Phthalo Blue	1	16	E – Phthalo Blue	4	32
			MM – Magenta	0	1	MM – Magenta	0	3 ½

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

PLATINUM

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	12	B – Lamp Black	0	42
			C – Yellow Oxide	0	30	C – Yellow Oxide	2	9
			MM – Magenta	0	4	MM – Magenta	0	14
			KX – White	3	16	KX – White	11	32

PRAIRE GOLD

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			AXXN – Orange Yellow	0	16	AXXN – Orange Yellow	1	8
			C – Yellow Oxide	1	36	C – Yellow Oxide	6	6
			L – Raw Umber	0	24	L – Raw Umber	1	36
			KX – White	1	0	KX – White	3	24

SABLE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	1	22	B – Lamp Black	5	5
			F – Red Oxide	2	16	F – Red Oxide	8	8
			TT – Medium Yellow	0	24	TT – Medium Yellow	1	36
			KX – White	0	28	KX – White	2	2

SAGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	32	C – Yellow Oxide	2	16
			D – Phthalo Green	0	20	D – Phthalo Green	1	22
			L – Raw Umber	3	20	L – Raw Umber	11	46

SALEM TAN

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	44	C – Yellow Oxide	3	10
			L – Raw Umber	1	0	L – Raw Umber	3	24
			MM – Magenta	0	1	MM – Magenta	0	3 ½

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – ACE NOVOCOLOR HP

SANDPIPER

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	20	B – Lamp Black	1	22
			C – Yellow Oxide	1	16	C – Yellow Oxide	4	32
			RR – Fast Red	0	4	RR – Fast Red	0	14
			KX – White	1	40	KX – White	6	20

SIERRA REDWOOD

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			F – Red Oxide	2	24	F – Red Oxide	8	36
			L – Raw Umber	4	8	L – Raw Umber	14	28
			MM – Magenta	1	44	MM – Magenta	6	34
			KX – White	0	28	KX – White	2	2

STONEHEDGE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	28	B – Lamp Black	2	2
			E – Phthalo Blue	0	2 ½	E – Phthalo Blue	0	8 ¾
			L – Raw Umber	0	36	L – Raw Umber	2	30
			KX – White	0	36	KX – White	2	30

WINTER WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	7	C – Yellow Oxide	0	24 ½
			L – Raw Umber	0	3 ½	L – Raw Umber	0	12 ¼
			KX – White	6	24	KX – White	22	36

WHITE

175 MEDIUM BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			KX – White	6	0	KX – White	21	0