



MARCH 2020

ZAR DECK AND SIDING STAIN TINTING FORMULATION MATCHING: ZAR

SOLID DECK AND SIDING STAIN COLORS

SYSTEM: **COLORTREND** USING 48 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 48, lists the number(s) of fractions, 48ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1- 800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready- mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

- AX – Exterior Yellow
- B – Lamp Black
- C – Yellow Oxide
- D – Thalo Green
- E – Thalo Blue
- F – Red Iron Oxide
- I – Brown Iron Oxide
- KX – Titanium Dioxide
- L – Raw Umber
- T – Medium Yellow
- R – Exterior Red



570-344-1202 • 1-800-845-5227 • Fax 570-969-7634 • www.UGL.com

CORPORATE OFFICE 1396 Jefferson Avenue, Dunmore, PA 18509 Mail to: P.O. Box 70, Scranton, PA 18501-0070

PLANT LOCATIONS Jacksonville, IL • Jackson, MS

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

BEECHWOOD GRAY 894

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	24.5	B – Lamp Black	2	2	B – Lamp Black	10	10
C – Yellow Oxide	0	23	C – Yellow Oxide	1	44	C – Yellow Oxide	9	28
F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	8	F – Red Iron Oxide	0	40
KX -Titanium Dioxide	0	15	KX -Titanium Dioxide	1	12	KX -Titanium Dioxide	5	0

BEIGE 885

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	0	16	C – Yellow Oxide	1	16	C – Yellow Oxide	6	32
F – Red Iron Oxide	0	1	F – Red Iron Oxide	0	4	F – Red Iron Oxide	0	20
L – Raw Umber	0	22	L – Raw Umber	1	40	L – Raw Umber	9	8

BLACK CANYON 878

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	2	10	B – Lamp Black	8	40	B – Lamp Black	44	8
I – Brown Iron Oxide	0	1	I – Brown Iron Oxide	0	4	I – Brown Iron Oxide	0	20

BUTTERNUT 892

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
AX – Exterior Yellow	0	44	AX – Exterior Yellow	3	32	AX – Exterior Yellow	18	16
B – Lamp Black	0	14	B – Lamp Black	1	8	B – Lamp Black	5	40
F – Red Iron Oxide	0	9	F – Red Iron Oxide	0	36	F – Red Iron Oxide	3	36
KX – Titanium Dioxide	0	29	KX – Titanium Dioxide	2	20	KX – Titanium Dioxide	12	4

CALIFORNIA RUSTIC 890

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	11	B – Lamp Black	0	44	B – Lamp Black	4	28
C – Yellow Oxide	1	4	C – Yellow Oxide	4	16	C – Yellow Oxide	21	32
F – Red Iron Oxide	1	0	F – Red Iron Oxide	4	0	F – Red Iron Oxide	20	0
KX – Titanium Dioxide	0	3	KX – Titanium Dioxide	0	12	KX – Titanium Dioxide	1	12

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

CAPE COD GRAY 877

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	14	B – Lamp Black	1	8	B – Lamp Black	5	40
C – Yellow Oxide	0	5	C – Yellow Oxide	0	20	C – Yellow Oxide	2	4
F – Red Iron Oxide	0	0.5	F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	10

CEDARWOOD 882

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	8	B – Lamp Black	0	32	B – Lamp Black	3	16
C – Yellow Oxide	1	21	C – Yellow Oxide	5	36	C – Yellow Oxide	28	36
F – Red Iron Oxide	0	9.5	F – Red Iron Oxide	0	38	F – Red Iron Oxide	3	46

CHOCOLATE 872

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	0	24	C – Yellow Oxide	2	0	C – Yellow Oxide	10	0
F – Red Iron Oxide	0	6.5	F – Red Iron Oxide	0	26	F – Red Iron Oxide	2	34
L – Raw Umber	2	6	L – Raw Umber	8	24	L – Raw Umber	42	24
KX – Titanium Dioxide	0	7	KX – Titanium Dioxide	0	28	KX – Titanium Dioxide	2	44

COLONIAL YELLOW 875

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	1	26	C – Yellow Oxide	6	8	C – Yellow Oxide	30	40
L – Raw Umber	0	13	L – Raw Umber	1	4	L – Raw Umber	5	20

DEEP CHARCOAL 891

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	27	B – Lamp Black	2	12	B – Lamp Black	11	12
D – Thalo Green	0	0.5	D – Thalo Green	0	2	D – Thalo Green	0	10
KX – Titanium Dioxide	0	12	KX – Titanium Dioxide	1	0	KX – Titanium Dioxide	5	0
L – Raw Umber	0	7	L – Raw Umber	0	28	L – Raw Umber	2	44

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

DEEP DESERT SAND 849

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	12.5	B – Lamp Black	1	2	B – Lamp Black	5	10
C – Yellow Oxide	0	19.5	C – Yellow Oxide	1	30	C – Yellow Oxide	8	6
F – Red Iron Oxide	0	0.5	F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	10
R – Exterior Red	0	6	R – Exterior Red	0	24	R – Exterior Red	0	40

DESERT SAND 879

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	0	9	C – Yellow Oxide	0	36	C – Yellow Oxide	3	36
F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	8	F – Red Iron Oxide	0	40
L – Raw Umber	0	30	L – Raw Umber	2	24	L – Raw Umber	12	24

FAWN 869

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	15	B – Lamp Black	1	12	B – Lamp Black	6	12
C – Yellow Oxide	1	10	C – Yellow Oxide	4	40	C – Yellow Oxide	24	8
F – Red Iron Oxide	0	8	F – Red Iron Oxide	0	32	F – Red Iron Oxide	3	16
KX – Titanium Dioxide	0	35	KX – Titanium Dioxide	2	44	KX – Titanium Dioxide	14	28

GEORGETOWN GRAY 893

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	27	B – Lamp Black	2	12	B – Lamp Black	11	12
D – Thalo Green	0	9	D – Thalo Green	0	36	D – Thalo Green	3	36
L – Raw Umber	0	15	L – Raw Umber	1	12	L – Raw Umber	6	12

HUNTER GREEN 874

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
AX – Exterior Yellow	0	16	AX – Exterior Yellow	1	16	AX – Exterior Yellow	6	32
D – Thalo Green	0	45	D – Thalo Green	3	36	D – Thalo Green	18	36
F – Red Iron Oxide	0	6	F – Red Iron Oxide	0	24	F – Red Iron Oxide	2	24
KX – Titanium Dioxide	0	5	KX – Titanium Dioxide	0	20	KX – Titanium Dioxide	2	4

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

MAHOGANY 889

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	8	B – Lamp Black	0	32	B – Lamp Black	3	16
E - Thalo Blue	0	28	E - Thalo Blue	2	16	E - Thalo Blue	11	32
F – Red Iron Oxide	0	10	F – Red Iron Oxide	0	40	F – Red Iron Oxide	4	8
R – Exterior Red	0	10	R – Exterior Red	0	40	R – Exterior Red	4	8

MANOR BROWN 871

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
L – Raw Umber	2	14	L – Raw Umber	9	8	L – Raw Umber	45	40
R – Exterior Red	0	4	R – Exterior Red	0	16	R – Exterior Red	1	32
KX – Titanium Dioxide	0	7	KX – Titanium Dioxide	0	28	KX – Titanium Dioxide	2	44

NAVAJO WHITE 884

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	3.5	B – Lamp Black	0	14	B – Lamp Black	1	22
C – Yellow Oxide	0	14.5	C – Yellow Oxide	1	10	C – Yellow Oxide	6	2
R – Exterior Red	0	2	R – Exterior Red	0	8	R – Exterior Red	0	40

NEW PILGRIM RED 866

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	4	B – Lamp Black	0	16	B – Lamp Black	1	32
E – Thalo Blue	0	16	E – Thalo Blue	1	16	E – Thalo Blue	6	32
F – Red Iron Oxide	0	12	F – Red Iron Oxide	1	0	F – Red Iron Oxide	5	0
R – Exterior Red	0	44	R – Exterior Red	3	32	R – Exterior Red	18	16

PARCHMENT 867

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	0	14	C – Yellow Oxide	1	8	C – Yellow Oxide	5	40
L – Raw Umber	0	4	L – Raw Umber	0	16	L – Raw Umber	1	32

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

PILGRIM BLUE 881

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	17	B – Lamp Black	1	20	B – Lamp Black	7	4
E – Thalo Blue	0	20	E – Thalo Blue	1	32	E – Thalo Blue	8	16

PLATINUM 883

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	3	B – Lamp Black	0	12	B – Lamp Black	1	12
C – Yellow Oxide	0	6	C – Yellow Oxide	0	24	C – Yellow Oxide	2	14
L – Raw Umber	0	17	L – Raw Umber	1	20	L – Raw Umber	7	4

PRAIRIE GOLD 847

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
AX – Exterior Yellow	0	19	AX – Exterior Yellow	1	28	AX – Exterior Yellow	7	44
C – Yellow Oxide	0	44	C – Yellow Oxide	3	32	C – Yellow Oxide	18	16
L – Raw Umber	0	12	L – Raw Umber	1	0	L – Raw Umber	5	0

PRAIRIE YELLOW 880

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
AX – Exterior Yellow	0	22.5	AX – Exterior Yellow	1	42	AX – Exterior Yellow	9	18
C – Yellow Oxide	0	8.5	C – Yellow Oxide	0	34	C – Yellow Oxide	3	26
L – Raw Umber	0	11	L – Raw Umber	0	44	L – Raw Umber	4	28

SABLE 876

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	14	B – Lamp Black	1	8	B – Lamp Black	5	40
C – Yellow Oxide	0	12	C – Yellow Oxide	1	0	C – Yellow Oxide	5	0
F – Red Iron Oxide	0	14	F – Red Iron Oxide	1	8	F – Red Iron Oxide	5	40

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

SAGE 846

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	9	B – Lamp Black	0	36	B – Lamp Black	3	36
C – Yellow Oxide	0	14	C – Yellow Oxide	1	8	C – Yellow Oxide	5	40
D – Thalo Green	0	2	D – Thalo Green	0	8	D – Thalo Green	0	40
R – Exterior Red	0	1	R – Exterior Red	0	4	R – Exterior Red	0	20

SALEM TAN 887

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	2	B – Lamp Black	0	8	B – Lamp Black	0	40
C – Yellow Oxide	0	11	C – Yellow Oxide	0	44	C – Yellow Oxide	4	28
F – Red Iron Oxide	0	0.5	F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	10

SANDPIPER 886

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	5	B – Lamp Black	0	20	B – Lamp Black	2	4
C – Yellow Oxide	0	11	C – Yellow Oxide	0	44	C – Yellow Oxide	4	28
F – Red Iron Oxide	0	0.5	F – Red Iron Oxide	0	2	F – Red Iron Oxide	0	10
L – Raw Umber	0	2	L – Raw Umber	0	8	L – Raw Umber	0	40

SEAFOAM 888

811 MEDIUM BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	12	B – Lamp Black	1	0	B – Lamp Black	5	0
C – Yellow Oxide	0	28	C – Yellow Oxide	2	16	C – Yellow Oxide	11	32
D – Thalo Green	0	6	D – Thalo Green	0	24	D – Thalo Green	2	40

SIERRA REDWOOD 873

812 DARK BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
E – Thalo Blue	0	10	E – Thalo Blue	0	40	E – Thalo Blue	4	8
F – Red Iron Oxide	0	25	F – Red Iron Oxide	2	4	F – Red Iron Oxide	10	20
KX – Titanium Dioxide	0	5	KX – Titanium Dioxide	0	20	KX – Titanium Dioxide	2	4
R – Exterior Red	0	25	R – Exterior Red	2	4	R – Exterior Red	10	20

ZAR SOLID DECK & SIDING STAIN COLORS – COLORTREND

STONEHEDGE 868

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
B – Lamp Black	0	23	B – Lamp Black	1	44	B – Lamp Black	9	28
C – Yellow Oxide	0	3	C – Yellow Oxide	0	12	C – Yellow Oxide	1	12

WINTER WHITE 870

810 LIGHT BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
C – Yellow Oxide	0	1	C – Yellow Oxide	0	4	C – Yellow Oxide	0	20
L – Raw Umber	0	1	L – Raw Umber	0	4	L – Raw Umber	0	20